



Ref. Certif. No.

DE 3 - HS00303

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product	Whirlpool Bath Systems Whirlpool Spa
Name and address of the applicant	<b>Blue Falls Manufacturing</b> 4549-52 Street Thorsby AB T0C 2P0 CANADA
Name and address of the manufacturer	Blue Falls Manufacturing 4549-52 Street, Thorsby AB T0C 2P0, CANADA
Name and address of the factory	Blue Falls Manufacturing Ltd. 5303 47 Street, Breton AB T0C 0P0, CANADA  Blue Falls Manufacturing 4549-52 Street, Thorsby AB T0C 2P0, CANADA  Bluefalls USA LP Bld. N-4 Industrial Park, 3808 N. Sullivan Road, Spokane WA 99216, USA  Blue Falls Manufacturing Ltd Winterburn 20310 107th Ave, Edmonton T5S 1W9, CANADA
Ratings and principal characteristics	Rated Input Voltage: 220-240 VAC Rated Frequency: 50 Hz Rated Input Current: 27.8 A Degree of Protection: IPX5
Trademark / Brand (if any)	BLUE FALLS
Model/type Ref.	<b>Arctic Line, Coyote Line – 50 Hz</b> (see page 2 for additional models & ratings)
Additional information (if necessary)	Certificate DE 3 – 19985 issued 2022-07-19 is replaced by this version due to technical changes.
A sample of the product was tested and found to be in conformity with	IEC 60335-1:2010 IEC 60335-1:2010/AMD1:2013 IEC 60335-1:2010/AMD2:2016 IEC 60335-2-60:2017
as shown in the Test Report Ref. No. which forms part of this certificate	72178094-100

Page 1 of 6

This CB Test Certificate is issued by the National Certification Body

CB 056165 0069 Rev. 03

Date, 2023-10-04

( Glenn H. McLaughlin )

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany



Product Service


## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

Arctic Line		Coyote Line
<b>Voltage:</b>	220-240 V AC	220-240 V AC
<b>Frequency:</b>	50 Hz	50 Hz
<b>Current: (up to)</b>	40 A, 1 phase or 20 A, 2 phase or 20 A, 3 phase	40 A, 1 phase or 20 A, 2 phase or 20 A, 3 phase
Models:		Models
Summit Klondiker Kodiak Tundra Frontier Cub Yukon Fox Summit XL Ocean	Okanagan Kingfisher Wolverine Hudson Athabasca Timberwolf Totem Eagle McKinley Mustang	Polaris Aurora Orca Grizzley Ellesmere Husky Outlaw Husky Hot Pod Hot Pod plus Hot Pod Dual Gold Gold Stretch

**Conditions of Acceptability:**

1. This equipment must be installed in accordance with the manufacturer's instructions.
2. The installation of this equipment must be in accordance with the requirements for electrical installations according to the relevant authority having jurisdiction.
3. The cautions and warnings in the user's manual for this equipment are considered limitations on the scope of use for purposes of this approval.

Spas are rated based on configuration/options prior to ship.



( Glenn H. McLaughlin )

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

	Type	Cabinet Type	Rating	Jets	Dimensions	Horse Power	Amperage
Summit	Prestige	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	Arctic	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	Arctic	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
Klondiker	Prestige	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	Arctic	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	Arctic	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
Kodiak	Prestige	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44/48
	Signature	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	Arctic	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	Arctic	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
Tundra	Prestige	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	Arctic	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	Arctic	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48

Page 3 of 6

This CB Test Certificate is issued by the National Certification Body

CB 056165 0069 Rev. 03

Date, 2023-10-04



( Glenn H. McLaughlin )



## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

Frontier	Prestige	Arctic	230v	20	86" x 93" x 39"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	86" x 93" x 39"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	86" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	86" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	Arctic	230v	40	86" x 93" x 39"	2.5/3/3	24/32/40/44/48
Cub	Prestige	Arctic	230v	20	86" x 86" x 41"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	86" x 86" x 41"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	86" x 86" x 41"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48
	Legend	Arctic	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48
Yukon	Prestige	Arctic	230v	20	86" x 86" x 41"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	86" x 86" x 41"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	86" x 86" x 41"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48
	Legend	Arctic	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48
Fox	Prestige	Arctic	230v	15	86" x 69" x 39"	2.5	24/32/40
	Signature	Arctic	230v	30	86" x 69" x 39"	2.5/3	24/32/40/44
Summit XL	Prestige	Arctic	230v	20	93" x 117" x 39"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	93" x 117" x 39"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	93" x 117" x 39"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	93" x 117" x 39"	2.5/3/3	24/32/40/44/48
	Legend	Arctic	230v	40	93" x 117" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	Arctic	230v	40	93" x 117" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	Arctic	230v	60	93" x 117" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	Arctic	230v	60	93" x 117" x 39"	2.5/3/3/3	24/32/40/44/48


Ocean	Prestige	Arctic	230v	20	171" x 94.5" x 52"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	171" x 94.5" x 52"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	171" x 94.5" x 52"	2.5/3	24/32/40/48
	Signature SDS	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend SDS	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48
	Legend Select	Arctic	230v	60	171" x 94.5" x 52"	2.5/3/3	24/32/40/48

Page 4 of 6

This CB Test Certificate is issued by the National Certification Body

CB 056165 0069 Rev. 03

Date, 2023-10-04



( Glenn H. McLaughlin )

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany



Product Service

## IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

	Legend Select SDS	Arctic	230v	60	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48
Okanagan	Prestige	Arctic	230v	20	171" x 94.5" x 52"	2.5	24/32/40
	Prestige SDS	Arctic	230v	20	171" x 94.5" x 52"	2.5/3	24/32/40/44
	Signature	Arctic	230v	40	171" x 94.5" x 52"	2.5/3	24/32/40/44
	Signature SDS	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend SDS	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48
Kingfisher	YE	Arctic	230v	3	171" x 94.5" x 52"	2.5,4	48
	ECO	Arctic	230v		171" x 94.5" x 52"	2.5,4	48
Wolverine	YE	Arctic	230v	26	171" x 94.5" x 52"	2.5,3,4	48
	ECO	Arctic	230v		171" x 94.5" x 52"	2.5,3,4	48
Hudson	YE	Arctic	230v	26	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	ECO	Arctic	230v		171" x 94.5" x 52"	2.5/3/3	24/32/40/48
Athabasca	YE	Arctic	230v	2	171" x 94.5" x 52"	2.5	24/32
	ECO	Arctic	230v	2	171" x 94.5" x 52"	2.5	24/32/40
Timberwolf	Prestige YE	Arctic	230v	15	75" x 86" x 37"	2.5	24/32
	Prestige ECO	Arctic	230v	15	75" x 86" x 37"	2.5	24/32/40
	Signature YE	Arctic	230v	30	75" x 86" x 37"	2.5/3	24/32/40/44
	Signature ECO	Arctic	230v	30	75" x 86" x 37"	2.5/3	24/32/40/44
Totem	Prestige YE	Arctic	230v	20	86" x 86" x 35"	2.5	24/32
	Prestige ECO	Arctic	230v	20	86" x 86" x 35"	2.5	24/32/40
	Signature YE	Arctic	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44
	Signature ECO	Arctic	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44
Eagle	Prestige YE	Arctic	230v	20	86" x 86" x 35"	2.5	24/32
	Prestige ECO	Arctic	230v	20	86" x 86" x 35"	2.5	24/32/40
	Signature YE	Arctic	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44
	Signature ECO	Arctic	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44

Page 5 of 6

This CB Test Certificate is issued by the National Certification Body

CB 056165 0069 Rev. 03

Date, 2023-10-04



( Glenn H. McLaughlin )

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany



Product Service

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

McKinley	Prestige YE	Arctic	230v	20	93" x 93" x 39"	2.5	24/32
	Prestige ECO	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40
	Signature YE	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature ECO	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
Mustang	Prestige YE	Arctic	230v	20	93" x 93" x 39"	2.5	24/32
	Prestige ECO	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40
	Signature YE	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature ECO	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
Aurora	Core	Coyote	230v	20	81" x 81" x 37"	2.5	33
Polaris	Core	Coyote	230v	40	81" x 81" x 37"	2.5/3	44
Orca	Core	Coyote	230v	40	89" x 93" x 35.25"	2.5/3	44
Grizzly	Core	Coyote	230v	40	89" x 93" x 35.25"	2.5/3	44
Ellesmere	Core	Coyote	230v	20	62" x 86" x 39"	2.5	33
Husky	Core	Coyote	230v	20	73" x 84" x 39"	2.5	33
Outlaw	Polar	Coyote	230v	14	72" dia. x 39"	1.5	13
Husky	Polar	Coyote	230v	12	70" x 80" x 31.5"	1.5	13
Hot pod	Polar	Coyote	230v	6	29" x 59" x 40"	1.5	12
Hot Pod plus	Polar	Coyote	230v	6	30" x 71" x 43"	1.5	12
Hot Pod Dual	Polar	Coyote	230v	12		1.5/1.5	12
Gold	Polar	Coyote	230v	6	76" x 76" x 30"	1.5	12
Gold Stretch	Polar	Coyote	230v	6	106" x 77" x 30"	1.5	12



( Glenn H. McLaughlin )